 Department of Microbiology Quality Manual	Policy # MI_UR	Page 1 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

## TABLE OF CONTENTS



### Urinary Tract Infection Workup

I. Introduction .....	3
II. Specimen Collection and Transplant.....	4
III. Reagents/Materials/Media.....	4
IV. Procedure.....	4
Asymptomatic Bacteriuria Urine Hold Processing:.....	4
B. Interpretation of cultures: .....	5
List of Uropathogens and Non-Uropathogens:.....	5
TABLE 1: Criteria for the identification and susceptibility testing of organisms isolated from Voided Urines (MSU, neonatal bagged urine, indwelling catheter, Foley catheter urine, ileal conduit urine, and suprapubic catheter).....	6
TABLE 2: Criteria for identification and susceptibility testing of organisms isolated from In and Out Catheter/Catheter Insertion urines.....	6
TABLE 3: Criteria for the identification and susceptibility testing of organisms isolated from aseptically collected urine, suprapubic bladder aspirates, bladder/cystoscopy urine and nephrostomy urine.....	7
V. Reporting.....	8
Negative Culture Reporting: .....	9
Positive Culture Reporting: .....	11
Growth of Group B streptococci from Female 12-60 years: .....	12
Growth of Group B streptococci from Men/Women not of Childbearing Age <12 or >60 years: .....	13
VI. References .....	13
Prostatitis Work up .....	14
I. Introduction .....	14
II. Specimen Collection and Transplant.....	14
III. Reagents/Materials/Media.....	14
IV. Procedure.....	14
a) Cultures with no growth:.....	15
b) Cultures with growth:.....	15
TABLE 5: Interpretation Guide for Typical Results of Segmented Urine and EPS Cultures.....	15
V. Reporting.....	16
Direct Smear (if requested):.....	16
No growth Report: .....	16
Growth with no work-up: .....	16
Growth with work-up: .....	17
VI. References .....	17

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

*NOTE: This document is **Uncontrolled When Printed**.  
Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.*

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\



  Department of Microbiology Quality Manual	Policy # MI_UR	Page 2 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

Appendix I – Appearance of Common Uropathogens on BUTI (Brilliance) Agar ..... 18

    Gram negative bacteria: ..... 18

    Gram positive bacteria: ..... 20

*Record of Edited Revisions* ..... 22

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 3 of 23
	Version: 1.1 CURRENT	
<b>Section:</b> Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	
Prepared by QA Committee		
Issued by: Laboratory Manager	Revision Date: 9/14/2018	
Approved by Laboratory Director: Microbiologist-in-Chief	Next Review Date: 5/1/2019	

**Uncontrolled When Printed**

## Urinary Tract Infection Workup

### I. Introduction

Urinary tract infections (UTI) are one of the most commonly encountered acute infectious diseases. Most UTIs occur as a result of bacteria ascending the urethra and entering the urinary bladder.

Urine specimens for culture are collected when the following syndromes are suspected: cystitis, pyelonephritis, asymptomatic bacteriuria, and less commonly acute prostatitis, pyelonephric abscess, and urosepsis.

Among the bacteria most commonly isolated from patients with acute uncomplicated cystitis are *Escherichia coli*, *Klebsiella* species, and other Enterobacteriaceae and *Staphylococcus saprophyticus*. Hospitalized patients and patients with complicated urinary tract infections are commonly infected with *E. coli*, *Klebsiella* species, *Proteus mirabilis*, other Enterobacteriaceae, *Pseudomonas aeruginosa* and enterococci. *Corynebacterium urealyticum* and Group B Streptococcus are markers of colonization in pregnant women.

Urine specimens can be divided into categories based on clinical criteria, the possibility of urethral contamination, and the extent of microbiological work-up.

For diagnosis of Urinary Tract Infection:

- Voided urines (non-sterile):
  - Midstream urine (MSU)
  - Neonatal bagged urine
  - Indwelling catheter (Foley catheter) urine
  - Ileal conduit urine
  - Suprapubic catheter urine
- In and out catheter / catheter insertion urine
- Aseptically collected urine: Nephrostomy urine
  - Bladder/cystoscopy urine
  - Suprapubic bladder aspirate



For diagnosis of Prostatitis:

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

---

*NOTE: This document is **Uncontrolled When Printed**.*  
Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 4 of 23
	Version: 1.1 CURRENT	
<b>Section:</b> Bacteriology Procedures	<b>Subject Title: Urine Culture Manual</b>	

- Segmented urine and expressed prostatic secretion (EPS). See [Prostatitis Workup](#)

For diagnosis of Male infertility:

- Seminal fluid. See [Genital Manual](#)

Quantitative cultures of urine specimens are critical for diagnosis. The criteria to be used for distinguishing significant from non-significant growth may vary depending on the type of urine specimen received for culture.

Urine specimens arriving in the laboratory must be accessioned and processed as soon as possible.

## II. Specimen Collection and Transplant

See [Pre-analytical Procedure - Specimen Collection QPCMI02001](#)

## III. Reagents/Materials/Media

See [Analytical Process - Bacteriology Reagents Materials Media List QPCMI10001](#)

## IV. Procedure

A. Processing of Specimens:

See [Specimen Processing Procedure](#)

Asymptomatic Bacteriuria Urine Hold Processing:

See [Specimen Processing Procedure](#) for procedure to handle requests to process Asymptomatic Bacteriuria - Urine “Hold” specimens.

a) Direct Examination:

Gram stain: Not routinely performed. If specifically requested, perform Gram stain directly on unspun specimen.

Fungal stain: Not routinely performed. If dimorphic fungus or cryptococcus specifically requested, see Mycology Manual for staining and interpretation.



Eosinophil stain: Not routinely performed. If requested, stain slide and examine for the presence of eosinophils due to inter-tissue nephritis.

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

---

*NOTE: This document is **Uncontrolled When Printed**. Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.*

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 5 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

B. Interpretation of cultures:

Examine plates after appropriate incubation time.

a) **Cultures with no growth:**

Discard no growth routine cultures after 18-24 hrs incubation. **Except:**

- Urine specimens processed after 1600 hrs (plates from the “After 4 p.m.” basket)
  - re-incubated until 1400 hrs and re-examine
- Suprapubic urine – re-incubate for another 24hrs.
- When yeast or non-specified fungus is requested – re-incubate for another 24 hrs at room temperature.
- If colonies are too small – re-incubate for another 24hrs.

b) **Cultures with growth:**

1. Count the colonies and multiply by the appropriate dilution factor in SI units.

Inoculation Loop size	Colony count/L
0.001 mL	1 colony = 1 x 10 <sup>6</sup> CFU/L
0.01 mL	1 colony = 0.1 x 10 <sup>6</sup> CFU/L



2. Workup cultures according to the criteria in Tables 1, 2 and 3 below. The tables are meant to serve as a guide only.
3. Save Group B streptococcus isolates for 10 days at room temperature in case further susceptibility testing is required
4. Save positive yeast cultures for 10 days at room temperature in case further work-up is required.

**List of Uropathogens and Non-Uropathogens:**

Uropathogens	Non-uropathogens (normal skin/urogenital flora)
Enterobacteriaceae <i>Pseudomonas aeruginosa</i> Other gram negative bacilli <i>Enterococcus</i> species beta-haemolytic streptococci Yeast <i>Aerococcus urinae</i> * <i>Corynebacterium urealyticum</i> <i>Staphylococcus aureus</i> <i>Staphylococcus saprophyticus</i> - (females)	<i>Lactobacillus</i> diphtheroids (not <i>C. urealyticum</i> ) viridans Streptococci (not <i>A. uriae</i> ) <i>Streptococcus anginosus</i> group <i>Streptococcus gallolyticus</i> <i>Bacillus</i> species

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

NOTE: This document is **Uncontrolled When Printed**.  
 Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 6 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

12 - 60 yrs only) Other coagulase negative staphylococci (including <i>Staphylococcus lugdenensis</i> )*	
--	--

\* Consider as **uropathogens** only when present in amounts >10-fold more than other **non-uropathogens**.

**TABLE 1:** Criteria for the identification and susceptibility testing of organisms isolated from Voided Urines (MSU, neonatal bagged urine, indwelling catheter, Foley catheter urine, ileal conduit urine, and suprapubic catheter).

No. of Types of Organisms <sup>1, 2, 3</sup>	No. of colonies of each type	Colony count/L of <b>uropathogens</b>	Work up for <b>uropathogens</b>	Report
1	<10	<10 x 10 <sup>6</sup> CFU/L	No work-up	<u>No significant growth</u>
1	≥10	≥10 x 10 <sup>6</sup> CFU/L	<u>ID + Sens</u>	<u>10-100 x E6 cfu/L</u>
2	Both ≥100	≥100 x 10 <sup>6</sup> CFU/L	<u>ID + Sens</u> on both	<u>&gt;100 x E6 cfu/L</u>
2	One ≥100 One <100	≥100 x 10 <sup>6</sup> CFU/L <100 x 10 <sup>6</sup> CFU/L	<u>ID + Sens</u> Ignore	<u>&gt;100 x E6 cfu/L</u>
2	Both <100	<100 x 10 <sup>6</sup> CFU/L	No work-up	<u>No significant growth</u>
≥3	All <b>uropathogens</b> <100		No work-up	<u>No significant growth</u>
≥3	Any <b>uropathogen</b> ≥100		No work-up	<u>Mixed growth</u>

ID = Identification; Sens = Susceptibility testing as appropriate

- Note:**
- When counting the types of organisms, do not include <10 colonies of **non-uropathogens**.
  - Do not workup or report any number of colonies of **non-uropathogens**
  - For female ages 12-60 yrs, workup any amount of beta-haemolytic streptococcus to rule out Group B streptococcus. (Reporting – follow Reporting Table for GBS)

**TABLE 2:** Criteria for identification and susceptibility testing of organisms isolated from In and Out Catheter/Catheter Insertion urines.



No. of Types of Organisms <sup>1, 2, 3</sup>	No. of colonies of each type	Colony count/L of <b>uropathogens</b>	Work-up for <b>uropathogens</b>	Report
1	<10	<10 x 10 <sup>6</sup> CFU/L	No work-up	<u>No significant growth</u>
1	≥10	≥10 x 10 <sup>6</sup> CFU/L	<u>ID + Sens</u>	<u>10-100 x E6 cfu/L</u> or <u>&gt;100 x E6 cfu/L</u>
2	Both ≥10	≥10 x 10 <sup>6</sup> CFU/L	<u>ID + Sens</u>	<u>10-100 x E6 cfu/L</u> or

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

NOTE: This document is **Uncontrolled When Printed**.

Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 7 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

No. of Types of Organisms <sup>1, 2, 3</sup>	No. of colonies of each type	Colony count/L of <u>uropathogens</u>	Work-up for <u>uropathogens</u>	Report
				<u>&gt;100 x E6 cfu/L</u>
2	One ≥10  One <10 or factor of 10x less	≥10 x 10 <sup>6</sup> /L  Use phrase - Light growth -on LIS <b>TEST Comment</b> (do not enter as ISOLATE)	<u>ID + Sens</u>	<u>10-100 x E6 cfu/L</u> or <u>&gt;100 x E6 cfu/L</u>  Describe <sup>4</sup>
3	≥10  Other(s) <10 or factor of 10x less	≥10 x 10 <sup>6</sup> CFU/L  Use phrase - Light growth -on LIS <b>TEST Comment</b> (do not enter as ISOLATE)	<u>ID + Sens</u>	<u>10-100 x E6 cfu/L</u> or <u>10-100 x E6 cfu/L</u>  Describe <sup>4</sup>
≥4	All <u>uropathogens</u> <10		No work-up	<u>No significant growth</u>
≥4	Any <u>uropathogen</u> ≥10		No work-up	<u>Mixed growth</u>

ID = **Identification**; **Sens** = Susceptibility testing as appropriate

**Note:** 1. When counting the types of organisms, do not include <10 colonies of non-uropathogens.

2. Do not workup or report any number of colonies of non-uropathogens.

3. For female ages 12-60 yrs, workup any amount of beta-haemolytic streptococcus to rule out Group B streptococcus. (Reporting – follow Reporting Table for GBS)

4. Describe as Gram positive cocci, Gram positive bacilli, Gram negative bacilli.

**TABLE 3:** Criteria for the identification and susceptibility testing of organisms isolated from aseptically collected urine, suprapubic bladder aspirates, bladder/cystoscopy urine and nephrostomy urine.



No. of Types of Organisms	No. of colonies of each type	Colony count/ L	Work-up
Any #	Any	Quantitate using appropriate dilution factor	<u>ID</u>

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

NOTE: This document is **Uncontrolled When Printed**.

Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 8 of 23
	Version: 1.1 CURRENT	
<b>Section:</b> Bacteriology Procedures	<b>Subject Title: Urine Culture Manual</b>	

			+ <a href="#">Sens</a>
--	--	--	------------------------

Inoculation Loop size	Colony count/L
0.001 mL	1 colony = 1 x 10 <sup>6</sup> CFU/L
0.01 mL	1 colony = 0.1 x 10 <sup>6</sup> CFU/L

ID = [Identification](#); [Sens](#) = Susceptibility testing as appropriate

C. Susceptibility Testing:

Refer to Susceptibility Testing Manual



V. **Reporting**

Direct Smear (if requested):

Gram Stain: “(No) Pus cells seen. (No) Bacteria seen” (without quantitation)

Eosinophil Stain:      Negative report: “No Eosinophil seen”  
                                  Positive report: “Eosinophils present”



  Quality Manual	Department of Microbiology	Policy # MI_UR	Page 9 of 23
	Section: Bacteriology Procedures	Version: 1.1 CURRENT	
		Subject Title: <b>Urine Culture Manual</b>	



**Negative Culture Reporting:**

Result Category	Reporting			
	C&S	C&S + routine fungus requested and no FUNGUS test ordered	C&S + routine fungus requested and FUNGUS test ordered	<i>Cryptococcus</i> or specific filamentous fungus requested
<b>No growth</b>	"No growth"	"No growth. Routine urine fungal cultures screen for significant growth of yeast only. Filamentous fungi will not be ruled out unless a specific request is made" (pick from <b>TEST window keypad - }NGU</b> ).	C&S TEST - "No growth"	C&S TEST - "No growth"
			Fungus TEST - "No growth. Routine urine fungal cultures screen for significant growth of yeast only. Filamentous fungi will not be ruled out unless a specific request is made" (pick from <b>TEST window keypad - }NGU</b> )	Fungus TEST – as per Mycology manual.
<b>No significant growth</b>  • Growth with no workup	"No significant growth" (pick from <b>TEST window keypad - }NSG</b> )	"No significant growth. Routine urine fungal cultures screen for significant growth of yeast only. Filamentous fungi will not be ruled out unless a specific request is made." (pick from <b>TEST window keypad - }NSGU</b> )	C&S TEST - "No significant growth. Routine urine fungal cultures screen for significant growth of yeast only. Filamentous fungi will not be ruled out unless a specific request is made." (pick from <b>TEST window keypad - }NSGU</b> )	C&S TEST - "No significant growth" (pick from <b>TEST window keypad - }NSG</b> )
			Fungus TEST - "No significant growth. Routine urine fungal cultures screen for significant growth of yeast only. Filamentous fungi will not be ruled out unless a specific request is made." (pick from <b>TEST window keypad - }NSGU</b> )	Fungus TEST - as per Mycology manual.



UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

NOTE: This document is *Uncontrolled When Printed*.

Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.  
 Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 10 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

Result Category	Reporting			
	<b>C&amp;S</b>	<b>C&amp;S + routine fungus requested and no FUNGUS test ordered</b>	<b>C&amp;S + routine fungus requested and FUNGUS test ordered</b>	<b><i>Cryptococcus</i> or specific filamentous fungus requested</b>
<b>Mixed growth</b>	“Mixed growth. Suggest repeat specimen if patient’s symptoms suggest a urinary tract infection.” (Pick from LIS <b>TEST window</b> keypad “ <b>Mixed }MIXG</b> ”)	“Mixed growth. Suggest repeat specimen if patient’s symptoms suggest a urinary tract infection.” (Pick from LIS <b>TEST window</b> keypad “ <b>Mixed }MIXG</b> ”)	<b>C&amp;S TEST</b> - “Mixed growth. Suggest repeat specimen if patient’s symptoms suggest a urinary tract infection.” (Pick from LIS <b>TEST window</b> keypad “ <b>Mixed }MIXG</b> ”)	<b>C&amp;S TEST</b> - “Mixed growth. Suggest repeat specimen if patient’s symptoms suggest a urinary tract infection.” (Pick from LIS <b>TEST window</b> keypad “ <b>Mixed }MIXG</b> ”)
			<b>Fungus TEST</b> - “Mixed growth. Suggest repeat specimen if patient’s symptoms suggest a urinary tract infection.” (Pick from LIS <b>TEST window</b> keypad “ <b>Mixed }MIXG</b> ”)	<b>Fungus TEST</b> - as per Mycology manual.

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 11 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	



**Positive Culture Reporting:**

Result Category	Reporting			
	<b>C&amp;S</b>	<b>C&amp;S + routine fungus requested and no FUNGUS test ordered</b>	<b>C&amp;S + routine fungus requested and FUNGUS test ordered</b>	<b>Cryptococcus or specific filamentous fungus requested</b>
<b>Growth with workup</b> Preliminary report	Morphologic description of organism with corresponding colony count/L - choose from LIS <b>ISOLATE window</b> keypad: $\leq 10$ for $\leq 10 \times E6$ cfu/L, $< 100$ for $10-100 \times E6$ cfu/L, $> 100$ for $> 100 \times E6$ cfu/L.			
<b>Growth with workup</b> Final report	Organism name with corresponding colony count/L (choose from LIS ISOLATE window keypad as above) and susceptibility testing results.	Organism name with corresponding colony count/L (choose from LIS ISOLATE window keypad as above) and susceptibility testing results. <b>Add</b> "No significant yeast isolated. Routine urine fungal cultures screen for significant growth of yeast only. Filamentous fungi will not be ruled out unless a specific request is made."(pick from <b>TEST window keypad }NYSU)</b>	<b>C&amp;S TEST</b> - Organism name with corresponding colony count/L (choose from LIS ISOLATE window keypad as above) and susceptibility testing results. <b>Add</b> "No significant yeast isolated. Routine urine fungal cultures screen for significant growth of yeast only. Filamentous fungi will not be ruled out unless a specific request is made."(pick from <b>TEST window keypad - }NYSU)</b>	<b>C&amp;S TEST</b> - Organism name with corresponding colony count/L (choose from LIS ISOLATE window keypad as above) and susceptibility testing results.
			<b>Fungus TEST</b> - (pick from <b>TEST window keypad - }NYSU)</b> as above	<b>Fungus TEST</b> - as per Mycology manual.

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

NOTE: This document is *Uncontrolled When Printed*.

Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.  
 Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 12 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	



**Growth of Group B streptococci from Female 12-60 years:**

Result Category	Reporting
<p><b>Significant amount</b></p>	<p>Report as Isolate with corresponding colony count/L. Add ISOLATE Comment “This organism is intrinsically susceptible to penicillin. If treatment is required AND this patient cannot be treated with penicillin, empiric treatment with nitrofurantoin or levofloxacin is generally successful for bacteriuria. If advice regarding antimicrobial treatment is desired, please contact the medical microbiologist on-call.</p> <p>NOTE REGARDING PREGNANT PATIENTS:            Any women with GBS bacteriuria in any concentration during her pregnancy should also receive intrapartum chemoprophylaxis. Reference: J Obs Gyn Can 2004; 26(9):826-32. If this patient is pregnant AND cannot be treated with penicillin, please contact the Microbiology Department within 48 hours for susceptibility tests to help guide intrapartum chemoprophylaxis.” (Pick from LIS <b>ISOLATE window</b> keypad “\GBSU for female 12-60y”)</p>
<p><b>Non-significant amount</b></p>	<p>Report TEST Comment: “Group B streptococcus isolated but in amounts too small to suggest a GBS urinary tract infection. However, any woman with GBS bacteriuria in any concentration during her pregnancy should receive intrapartum chemoprophylaxis. Reference: J Obs Gyn Can 2004; 26(9):826-32. This organism is intrinsically susceptible to penicillin. If this patient is pregnant AND cannot be treated with penicillin, please contact the Microbiology Department within 48 hours to request susceptibility testing.” (Pick from LIS <b>TEST window</b> keypad “<b>Group B }GBsm</b>”)</p>
<p><b>Mixed growth with GBS</b></p>	<p>“Mixed growth, including Group B streptococcus (GBS). Suggest repeat specimen if patient’s symptoms suggest a urinary tract infection. Any women with GBS bacteriuria during her pregnancy, even in mixed growth, should receive intrapartum chemoprophylaxis. Reference: J Obs Gyn Can 2004; 26(9):826-32. This organism is intrinsically susceptible to penicillin. If this patient is pregnant AND cannot be treated with penicillin, please contact the Microbiology Department within 48 hours to request susceptibility testing.”            (Pick from LIS <b>TEST window</b> “<b>Mixed }wGBS</b>”)</p>

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

NOTE: This document is *Uncontrolled When Printed*.

Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.  
 Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\



  Department of Microbiology Quality Manual	Policy # MI_UR	Page 13 of 23
	Version: 1.1 CURRENT	
<b>Section:</b> Bacteriology Procedures	<b>Subject Title: Urine Culture Manual</b>	

**Growth of Group B streptococci from Men/Women not of Childbearing Age <12 or >60 years:**

<b>Result Category</b>	<b>Reporting</b>
<b>Significant amount</b>	Report as Isolate with corresponding colony count/L. Add ISOLATE Comment “This organism is intrinsically susceptible to penicillin. If treatment is required AND this patient cannot be treated with penicillin, empiric treatment with nitrofurantoin or levofloxacin is generally successful for bacteriuria. If advice regarding antimicrobial treatment is desired, please contact the medical microbiologist on-call.” (Pick from LIS <b>ISOLATE window</b> keypad “\GBS” )

**VI. References**

- Murray P.R., Baron E.J., Tenover F.C., Tenover P.C., Tenover F.C., Tenover P.C. 2003. Manual of Clinical Microbiology, 8<sup>th</sup> ed. ASM Press, Washington, D.C.
- Izenberg H.D.. 2003. Urine Cultures, 3.12.1 in Clinical Microbiology Procedures Handbook, 2<sup>nd</sup> ed. Vol.1 ASM Press, Washington, D.C.
- Burd, E.M., Hall, G.S., McCarter, Y.S., Zervos, M. 2009. Cumitech 2C, Laboratory Diagnosis of Urinary Tract Infections, Coordinating ed., A.S. Weissfeld. ASM, Washington, D.C.

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 14 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

## Prostatitis Work up

### I. Introduction

Bacterial cultures of segmented lower urinary tract specimens can be used to differentiate urethritis/cystitis and prostatitis depending on the different quantitation of growth in the different segmented specimens.

Segmented quantitation culture specimens include initial stream sample of urine (VB1), a midstream urine sample (VB2), an aliquot of expressed prostatic secretion (EPS) and a post prostatic massage secretion (VB3).

When seminal fluid is sent with VB1, 2 or 3, it should be treated as EPS. Occasionally, only a pre-massage (VB1 or VB2) and post-massage (VB3) urine specimen will be received.

### II. Specimen Collection and Transplant

See [Pre-analytical Procedure - Specimen Collection QPCMI02001](#)

### III. Reagents/Materials/Media

See [Analytical Process - Bacteriology Reagents\\_Materials\\_Media List QPCMI10001](#)

### IV. Procedure

#### A. Processing of Specimens:

See [Specimen Processing Procedure](#)

#### a) Direct Examination:

Gram stain: Not routinely performed. If specifically requested, perform Gram stain directly on unspun specimen.

#### b) Culture:

See [Specimen Processing Procedure](#)



#### B. Interpretation of cultures:

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

---

*NOTE: This document is **Uncontrolled When Printed**.  
Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.*

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 15 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

Examine plates after appropriate incubation time.

a) **Cultures with no growth:**

Discard no growth routine cultures after 18-24 hrs incubation. **Except:**

- Urine specimens processed after 1600 hrs (plates from the “After 4 p.m.” basket) – re-incubated until 1400 hrs and re-examine
- When yeast or non-specified fungus is requested – re-incubate for another 24 hrs at room temperature.
- If colonies are too small – re-incubate for another 24hrs.

b) **Cultures with growth:**

1. For each plate, count the colonies and multiply by the appropriate dilution factor in SI units.
2. Workup cultures according to the criteria in Tables 4.

**TABLE 4:** Segmented Urine and Expressed Prostatic Secretion (EPS)

Inoculation Loop size	Colony count/L	Work-up
0.001 mL 0.01 mL	1 colony = 1 x 10 <sup>6</sup> CFU/L 1 colony = 0.1 x 10 <sup>6</sup> CFU/L	<b>Uropathogens:</b> Quantitate, ID + susceptibility  <b>Non-uropathogens:</b> Quantitate, minimal workup for ID (no susceptibility)

**Note:** Consider coagulase-negative staphylococcus as uropathogens only when present in amounts >10-fold more than other non-uropathogens.

See [Identification](#) and [Susceptibility Testing](#) Methods for Common Urinary Tract Isolates for workup.

**TABLE 5:** Interpretation Guide for Typical Results of Segmented Urine and EPS Cultures



Pre-message samples		Prostatic message sample	Post-message sample	Possible Diagnosis
VB1	VB2	EPS	VB3	
-	-	+	-	Prostatitis
-	-	+	+	Prostatitis
+	+	+	+	Cystitis+Prostatitis
+	+	-	++ (10 fold >VB2)	Cystitis+Prostatitis

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

*NOTE: This document is **Uncontrolled When Printed**.*

*Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.*

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 16 of 23
	Version: 1.1 CURRENT	
<b>Section:</b> Bacteriology Procedures	<b>Subject Title: Urine Culture Manual</b>	

Pre-massage samples		Prostatic massage sample	Post-massage sample	Possible Diagnosis
+	+	-	+	Urethritis/Cystitis
+	-	-	-	Contamination
-	-	-	-	No infection

+ = growth of the same isolate type in each sample

### C. Susceptibility Testing:

Refer to Susceptibility Testing Manual

## V. Reporting

### Segmented Urine and Expressed Prostatic Secretion for diagnosis of Prostatitis:

Direct Smear (if requested):

Gram Stain: “(No) Pus cells seen. (No) Bacteria seen” (without quantitation)

Culture:

No growth Report:

“No Growth”

Growth Report:

Growth with no work-up:

Report as TEST Comment “highest colony count - choose from LIS TEST window keypad:

}<1 for <1 x E6 cfu/L,



}<10 for 1-9 x E6 cfu/L,

}<100 for 10-100 x E6 cfu/L,

}>100 for >100 x E6 cfu/L

and Skin/Urethral Flora”



  Department of Microbiology Quality Manual	Policy # MI_UR	Page 17 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

Growth with work-up:

Organism name with corresponding (highest colony count - choose from LIS ISOLATE window keypad:

\<1 for <1 x E6 cfu/L,

\<10 for 1-9 x E6 cfu/L,



\<100 for 10-100 x E6 cfu/L,

\>100 for >100 x E6 cfu/L)

and appropriate susceptibility testing results.


## VI. References

- Murray P.R., Baron E.J., Pfaller M.A., Tenover F.C., Tenover F.C. 2003. Manual of Clinical Microbiology, 8<sup>th</sup> ed. ASM Press, Washington, D.C.
- Izenberg H.D. 2003. Urine Cultures, 3.12.1 in Clinical Microbiology Procedures Handbook, 2<sup>nd</sup> ed. Vol.1 ASM Press, Washington, D.C.
- Burd, E.M., Hall, G.S., McCarter, Y.S., Zervos, M. 2009. Cumitech 2C, Laboratory Diagnosis of Urinary Tract Infections, Coordinating ed., A.S. Weissfeld. ASM, Washington, D.C.
- Meares E.M. Investigative Urology 1968. 5(5):492-518
- Nickel J.C. Techniques in Urology 1997. 3(10):38-43.

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 18 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

## Appendix I – Appearance of Common Uropathogens on BUTI (Brilliance) Agar


### Gram negative bacteria:




**Figure 1:** Left – NLF *E. coli*, Right – LF *E. coli*

Both display burgundy/pink colonies on BUTI. No growth on CNA.

Visual *E. coli* identification acceptable. No MS needed. Requires antimicrobial sensitivities if of significant amount.

 <p>Department of Microbiology</p> <p>Quality Manual</p>	<p>Policy # MI_UR</p> <p>Version: 1.1 CURRENT</p>	<p>Page 19 of 23</p>
<p><b>Section:</b> Bacteriology Procedures</p>	<p><b>Subject Title: Urine Culture Manual</b></p>	



**Figure 2:** Left and Right – *K. pneumoniae*

*Klebsiella*, *Enterobacter*, *Citrobacter* display blue/green colonies on BUTI. No growth on CNA.

Requires Vitek MS identification and antimicrobial sensitivities if of significant amount.



**Figure 3:** Left – *P. aeruginosa*, Right – mucoid *P. aeruginosa*:



Display brown/beige colonies on BUTI. No growth on CNA.

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

*NOTE: This document is Uncontrolled When Printed.*


Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 20 of 23
	Version: 1.1 CURRENT	
Section: Bacteriology Procedures	Subject Title: <b>Urine Culture Manual</b>	

Requires Vitek MS identification and antimicrobial sensitivities if of significant amount.



Gram positive bacteria:




**Figure 4:** *Staphylococcus species*


Display colourless colonies on BUTI. Growth on CNA.

Requires Vitek MS identification and antimicrobial sensitivities as required.

  <p>Department of Microbiology</p> <p>Quality Manual</p>	<p>Policy # MI_UR</p> <p>Version: 1.1 CURRENT</p>	<p>Page 21 of 23</p>
<p><b>Section:</b> Bacteriology Procedures</p>	<p><b>Subject Title: Urine Culture Manual</b></p>	



**Figure 5:** *Enterococcus species*  
 Display blue colonies on BUTI. Growth on CNA.  
 Requires Vitek MS identification and antimicrobial sensitivities.





**Figure 6:** Beta-hemolytic streptococcus:  
 Display violet, blue or colourless colonies on BUTI. Growth on CNA with hemolysis.  
 Requires Vitek MS identification and antimicrobial sensitivities if requested.

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

*NOTE: This document is **Uncontrolled When Printed**.  
 Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.*

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 22 of 23
	Version: 1.1 CURRENT	
<b>Section:</b> Bacteriology Procedures	<b>Subject Title: Urine Culture Manual</b>	

*Record of Edited Revisions*

**Manual Section Name: Urine Culture Manual**



Page Number / Item	Date of Revision	Signature of Approval
Annual Review	May 26, 2004	Dr. T. Mazzulli
Annual Review	May 12, 2005	Dr. T. Mazzulli
Annual Review	April 10, 2006	Dr. T. Mazzulli
Specimen collection procedure – see <a href="#">Pre-analytical Procedure - Specimen Collection QPCMI02001</a>	April 10, 2006	Dr. T. Mazzulli
Specimen processing procedure - See <a href="#">Specimen Processing Procedure QPCMI06003</a>	April 10, 2006	Dr. T. Mazzulli
Modify urine category page 2	April 10, 2006	Dr. T. Mazzulli
Removed Specimen Rejection Criteria; refer to <a href="#">Specimen Rejection Criteria QPCMI06001</a>	April 10, 2006	Dr. T. Mazzulli
Modified Interpretation of Culture wording Page 3	April 10, 2006	Dr. T. Mazzulli
<i>C. urealyticum</i> and <i>A. uriae</i> added to the ID table Page 6	April 10, 2006	Dr. T. Mazzulli
New Reporting category and phrases Page 7, 8	April 10, 2006	Dr. T. Mazzulli
New Table of Contents page	April 10, 2006	Dr. T. Mazzulli
New section and workup table for segmented urine and EPS	April 10, 2006	Dr. T. Mazzulli
Work-up any amount of beta-haemolytic strep to rule out GBS in females 12-60 years.	April 10, 2006	Dr. T. Mazzulli
Report $\geq 3$ types of uropathogens as “mixed growth.....”	April 10, 2006	Dr. T. Mazzulli
Urine Reporting	August 03, 2006	Dr. T. Mazzulli
Prostatitis Workup Reporting	August 03, 2006	Dr. T. Mazzulli
Urine interpretation tables 1 and 2 – modified “mixed growth”	September 14, 2006	Dr. T. Mazzulli
Modified Urine “mixed growth” reporting phrase	September 14, 2006	Dr. T. Mazzulli
Annual Review	August 13, 2007	Dr. T. Mazzulli
Annual Review	August 15, 2008	Dr. T. Mazzulli
Annual Review	August 10, 2009	Dr. T. Mazzulli
Annual Review	June 18, 2010	Dr. T. Mazzulli
GBS reporting phrases	June 18, 2010	Dr. T. Mazzulli
Suprapubic/Asceptically collected urine processing to 10uL and 100uL loops	June 18, 2010	Dr. T. Mazzulli

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

*NOTE: This document is **Uncontrolled When Printed.***

*Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.*

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\

  Department of Microbiology Quality Manual	Policy # MI_UR	Page 23 of 23
	Version: 1.1 CURRENT	
<b>Section:</b> Bacteriology Procedures	<b>Subject Title: Urine Culture Manual</b>	

Page Number / Item	Date of Revision	Signature of Approval
Annual Review	June 20, 2011	Dr. T. Mazzulli
Annual Review	June 30, 2012	Dr. T. Mazzulli
Annual Review	August 25, 2013	Dr. T. Mazzulli
Modify Headers Modify Table of Contents Annual Review	June 11, 2014	Dr. T. Mazzulli
Add on <i>Streptococcus anginosus</i> group and <i>Streptococcus gallolyticus</i> as non-uropathognes	December 23, 2014	Dr. T. Mazzulli
Addition of Appendix 1	February 1, 2015	Dr. T. Mazzulli
Addition of link Urine Hold to work up Annual Review	April 30, 2015	Dr. T. Mazzulli
Annual Review Update CPS4 to Brilliance BUTI media Updated UHN/MSH logo in header	April 20, 2016	Dr. T. Mazzulli
Removed Asymptomatic Bacteriuria - Urine hold study link. Study transferred to routine specimen processing manual. Replaced link with one to specimen processing manual.	January 31, 2017	Dr. T. Mazzulli
Annual Review	April 20, 2017	Dr. T. Mazzulli
Annual Review	April 15, 2018	Dr. T. Mazzulli
Minor format change	September 14, 2019	Dr. T. Mazzulli

UNIVERSITY HEALTH NETWORK/MOUNT SINAI HOSPITAL, DEPARTMENT OF MICROBIOLOGY

*NOTE: This document is **Uncontrolled When Printed**.*

*Any documents appearing in paper form that do not state "CONTROLLED COPY" in red print are not controlled and should be checked against the document (titled as above) on the server prior to use.*

Management System\UHN\_Mount Sinai Hospital Microbiology\Standard Operating Procedures\Bacteriology Procedures\