

UHN/SHS ANTIBIOGRAM

All inpatients

January 1, 2017 - December 31, 2017

Blood Isolates – % Susceptible

	#	%	Fluconazole	Voriconazole	Caspofungin	Micafungin	Anidulafungin
≥80% Susceptible 70-79% Susceptible ≤69% Susceptible 							
ALL CANDIDA	93	—	80%	82%	97%	99%	100%
<i>Candida albicans</i>	44	47	98%	100%	100%	100%	100%
<i>Candida parapsilos</i>	17	18	88%	100%	100%	100%	100%
<i>Candida glabrata</i> (formerly <i>T. glabrata</i>)	13	14	42%	0%	100%	100%	100%
<i>Candida tropicalis</i>	8	9	88%	63%	100%	100%	100%
<i>Candida krusei</i>	7	8	0%	100%	57%	100%	100%
<i>Candida dubliniens</i>	2	2	100%	100%	100%	100%	100%
<i>Candida guilliermondi</i>	1	1	0%	0%	100%	100%	100%
<i>Candida</i> species	1	1	100%	100%	100%	100%	100%

Organism-Specific Notes:

* *Candida glabrata*: There are no interpretative breakpoints for voriconazole.
 There are no susceptibility breakpoints for fluconazole, the percentage provided refers to the percentage of *Candida glabrata* that are susceptible dose-dependent.

** *Candida krusei* - There are no interpretative breakpoints for fluconazole.

Sunday, November 04, 2018

Prepared by University Health Network/Mount Sinai Hospital Department of Microbiology

Mount Sinai Hospital ANTIBIOGRAM

All Inpatients

January 1, 2017 - December 31, 2017

Blood Isolates – % Susceptible

≥80% Susceptible
 70-79% Susceptible
 ≤69% Susceptible

	#	%	Fluconazole	Voriconazole	Caspofungin	Micafungin	Anidulafungin
ALL CANDIDA	20	—	75%	90%	100%	100%	100%
<i>Candida albicans</i>	11	55	100%	100%	100%	100%	100%
<i>Candida parapsilos</i>	3	15	67%	100%	100%	100%	100%
<i>Candida glabrata (formerly T. glabrata)</i>	2	10	0%	0%	100%	100%	100%
<i>Candida krusei</i>	2	10	0%	100%	100%	100%	100%
<i>Candida tropicalis</i>	2	10	100%	100%	100%	100%	100%

Organism-Specific Notes:

* *Candida glabrata*: There are no interpretative breakpoints for voriconazole.
 There are no susceptibility breakpoints for fluconazole, the percentage provided refers to the percentage of *Candida glabrata* that are susceptible dose-dependent.

** *Candida krusei* - There are no interpretative breakpoints for fluconazole.

Sunday, November 04, 2018

Prepared by University Health Network/Mount Sinai Hospital Department of Microbiology

**Toronto Western Hospital ANTIBIOGRAM
All Inpatients
January 1, 2017 - December 31, 2017**

Blood Isolates – % Susceptible

≥80% Susceptible
 70-79% Susceptible
 ≤69% Susceptible

	#	%	Fluconazole	Voriconazole	Caspofungin	Micafungin	Anidulafungin
ALL CANDIDA	9	—	89%	56%	100%	100%	100%
<i>Candida albicans</i>	5	56	100%	100%	100%	100%	100%
<i>Candida glabrata</i> (formerly <i>T. glabrata</i>)	2	22	50%	0%	100%	100%	100%
<i>Candida tropicalis</i>	2	22	100%	0%	100%	100%	100%

Organism-Specific Notes:

- * *Candida glabrata*: There are no interpretative breakpoints for voriconazole.
There are no susceptibility breakpoints for fluconazole, the percentage provided refers to the percentage of *Candida glabrata* that are susceptible dose-dependent.

Sunday, November 04, 2018

Prepared by University Health Network/Mount Sinai Hospital Department of Microbiology

Toronto General Hospital ANTIBIOGRAM

All Inpatients

January 1, 2017 - December 31, 2017

Blood Isolates – % Susceptible

≥80% Susceptible
 70-79% Susceptible
 ≤69% Susceptible

	#	%	Fluconazole	Voriconazole	Caspofungin	Micafungin	Anidulafungin
ALL CANDIDA	53	—	84%	83%	96%	98%	100%
<i>Candida albicans</i>	26	49	96%	100%	100%	100%	100%
<i>Candida parapsilos</i>	9	17	89%	100%	100%	100%	100%
<i>Candida glabrata (formerly T. glabrata)</i>	9	17	50%	0%	100%	100%	100%
<i>Candida krusei</i>	3	6	0%	100%	33%	100%	100%
<i>Candida tropicalis</i>	3	6	100%	100%	100%	100%	100%
<i>Candida dubliniens</i>	2	4	100%	100%	100%	100%	100%
<i>Candida species</i>	1	2	100%	100%	100%	100%	100%

Organism-Specific Notes:

* *Candida glabrata*: There are no interpretative breakpoints for voriconazole. There are no susceptibility breakpoints for fluconazole, the percentage provided refers to the percentage of *Candida glabrata* that are susceptible dose-dependent.

** *Candida krusei* - There are no interpretative breakpoints for fluconazole.

Sunday, November 04, 2018

Prepared by University Health Network/Mount Sinai Hospital Department of Microbiology

Princess Margaret Hospital ANTIBIOGRAM

All Inpatients and Outpatients

January 1, 2017 - December 31, 2017

Blood Isolates – % Susceptible

≥80% Susceptible
 70-79% Susceptible
 ≤69% Susceptible

#	%	Fluconazole	Voriconazole	Caspofungin	Micafungin	Anidulafungin	
ALL CANDIDA	11	–	64%	82%	91%	100%	100%
<i>Candida parapsilos</i>	5	45	100%	100%	100%	100%	100%
<i>Candida albicans</i>	2	18	100%	100%	100%	100%	100%
<i>Candida krusei</i>	2	18	0%	100%	50%	100%	100%
<i>Candida guilliermondi</i>	1	9	0%	0%	100%	100%	100%
<i>Candida tropicalis</i>	1	9	0%	0%	100%	100%	100%

Organism-Specific Notes:

** *Candida krusei* - There are no interpretative breakpoints for fluconazole.

Sunday, November 04, 2018

Prepared by University Health Network/Mount Sinai Hospital Department of Microbiology