

Toronto Western Hospital ANTIBIOGRAM
Wards other than ICUs/Emergency
January 1, 2018 - December 31, 2018

Blood Isolates – % Susceptible

| | | ≥80% Susceptible | | 70-79% Susceptible | | ≤69% Susceptible | | | | | | | | | | | | | | | | | | | | |
|---|-----|------------------|-----------------------------|--------------------|----------------------------|--------------------------------|-------------------------|-----------|-----------|-------------|-----------|-------------|--------------------------|------------------------------|-------------|-------------|--------------|-------------|---------------|--------------|-------------------------------|------------|------------|----------|------------|-----------|
| | | ■ | | ■ | | ■ | | | | | | | | | | | | | | | | | | | | |
| # | % | Ampicillin | Amoxicillin-Clavulanic acid | Penicillin | Penicillin IV (meningitis) | Penicillin IV (non-meningitis) | Piperacillin-Tazobactam | Meropenem | Ertapenem | Cloxacillin | Cefazolin | Ceftriaxone | Ceftriaxone (meningitis) | Ceftriaxone (non-meningitis) | Ceftazidime | Clindamycin | Erythromycin | Doxycycline | Ciprofloxacin | Moxifloxacin | Trimethoprim-Sulfamethoxazole | Gentamicin | Tobramycin | Amikacin | Vancomycin | Linezolid |
| ALL BACTERIA | 265 | 15 | 25 | | | 67 | 73 | 70 | 56 | 68 | | | | | | | | | | 80 | | | | | | |
| ALL GRAM-NEGATIVE BACTERIA | 79 | 100 | 24 | 58 | | | 72 | 97 | 87 | 42 | 66 | | | 75 | | | | | 86 | | 76 | 99 | 98 | 99 | | |
| <i>Escherichia coli</i> | 38 | 48 | 45 | 76 | | | 84 | 100 | 100 | 66 | 87 | | | 87 | | | | | 74 | | 76 | 97 | 95 | 100 | | |
| <i>Klebsiella pneumoniae</i> | 10 | 13 | 0 | 90 | | | 90 | 100 | 100 | 70 | 90 | | | 90 | | | | | 100 | | 90 | 100 | 100 | 100 | | |
| <i>Enterobacter cloacae</i> | 8 | 10 | 0 | 0 | | | 0 | 100 | 100 | 0 | 0 | | | 0 | | | | | 100 | | 100 | 100 | 100 | 100 | | |
| <i>Pseudomonas aeruginosa</i> | 7 | 9 | | | | | 86 | 86 | | | | | | 86 | | | | | 100 | | 100 | 100 | 100 | | | |
| <i>Klebsiella oxytoca</i> | 5 | 6 | 0 | 80 | | | 80 | 100 | 100 | 20 | 100 | | | 100 | | | | | 100 | | 100 | 100 | 100 | 100 | | |
| ALL GRAM-POSITIVE BACTERIA | 186 | 100 | 11 | 11 | 9 | | 65 | 63 | 63 | 54 | 63 | 68 | | | | 64 | 35 | | | | 82 | | | | 99 | |
| Coagulase-negative staphylococci | 109 | 59 | | | | | 60 | 60 | 60 | 60 | 60 | | | | | 60 | 20 | 100 | | | 80 | | | | 100 | 100 |
| <i>Staphylococcus aureus</i> , all isolates | 42 | 23 | | | | | 83 | 83 | 83 | 83 | 83 | | | | | 74 | 65 | 98 | | | 100 | | | | 100 | 100 |
| - methicillin-susceptible | 35 | 19 | | | | | 100 | 100 | 100 | 100 | 100 | | | | | 71 | 69 | 97 | | | 100 | | | | 100 | 100 |
| - methicillin-resistant (MRSA) | 7 | 4 | | | | | 0 | 0 | 0 | 0 | 0 | | | | | 86 | 43 | 100 | | | 100 | | | | 100 | 100 |
| Viridans group streptococci * | 11 | 6 | | | | | | | | | | 100 | | | | | | | | | | | | | | 100 |
| <i>Streptococcus pneumoniae</i> | 6 | 3 | | | | 83 | 83 | | | | | | 83 | 100 | | 83 | 67 | | | 100 | | | | | | 100 |
| <i>Enterococcus faecalis</i> , all isolates | 4 | 2 | 100 | 100 | | | 100 | | | | | | | | | | | | | | | | | | | 100 |
| - vancomycin-susceptible | 4 | 2 | 100 | 100 | | | 100 | | | | | | | | | | | | | | | | | | | 100 |
| - vancomycin-resistant (VRE) | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| Group A streptococci** | 4 | 2 | | | 100 | | | | | | | | | | | 75 | 75 | | | | | | | | | 100 |

General Notes:

- Statistical validity of estimates of percent susceptibility for organisms for which there are fewer than 30 isolates reported is limited. Please take this into consideration when interpreting the reported results.
- Some organisms for which there were only very small numbers have been excluded from this report; however the total number of "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" listed includes these organisms.
- Reported susceptibilities for "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" reflect estimates only based on the weighted average of susceptibilities for all organisms included on this report as well as those that have been excluded, with assumptions made for those drugs for which susceptibilities were not tested.
- Susceptibility to doxycycline was predicted based on tetracycline susceptibility testing results.

Year-Specific Notes:

- Only a limited number of coagulase negative staphylococci isolates were tested for susceptibilities. The vast majority of coagulase-negative staphylococci are susceptible to vancomycin.

Organism-Specific Notes:

- ** Beta-hemolytic streptococci: Susceptibility testing to penicillin is not routinely performed since resistant strains have not been recognized. All isolates are considered susceptible to penicillin.
- * Viridans group streptococci: Please note that only a small proportion of these isolates were tested for susceptibilities. Please take this into consideration when interpreting the reported results.

Toronto Western Hospital ANTIBIOGRAM
Wards other than ICUs/Emergency
January 1, 2018 - December 31, 2018

Respiratory Isolates – % Susceptible

| | # | % | Antibiotics | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----|-----|-------------|-----------------------------|------------|----------------------------|--------------------------------|-------------------------|-----------|-----------|-------------|-----------|-------------|--------------------------|------------------------------|-------------|-------------|--------------|-------------|---------------|--------------|-------------------------------|------------|------------|----------|------------|-----------|--|
| | | | Ampicillin | Amoxicillin-Clavulanic acid | Penicillin | Penicillin IV (meningitis) | Penicillin IV (non-meningitis) | Piperacillin-Tazobactam | Meropenem | Ertapenem | Cloxacillin | Cefazolin | Ceftriaxone | Ceftriaxone (meningitis) | Ceftriaxone (non-meningitis) | Ceftazidime | Clindamycin | Erythromycin | Doxycycline | Ciprofloxacin | Moxifloxacin | Trimethoprim-Sulfamethoxazole | Gentamicin | Tobramycin | Amikacin | Vancomycin | Linezolid | |
| ALL BACTERIA | 71 | — | 16 | 22 | | | 70 | 66 | 19 | | 15 | 45 | | | | | | | | | 37 | | | | | | | |
| ALL GRAM-NEGATIVE BACTERIA | 44 | 100 | 23 | 32 | | | 86 | 84 | 7 | | | 45 | | | 82 | | | 69 | | 12 | 83 | 87 | 91 | | | | | |
| <i>Pseudomonas aeruginosa</i> | 21 | 48 | | | | | 81 | 67 | | | | | | | 81 | | | 76 | | | 81 | 90 | 90 | | | | | |
| <i>Haemophilus influenzae</i> ^{^^} | 13 | 30 | 77 | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Moraxella catarrhalis</i> [^] | 5 | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Klebsiella pneumoniae</i> | 2 | 5 | 0 | 50 | | | 50 | 100 | 100 | | 0 | 50 | | | 50 | | | | | 100 | | 50 | 100 | 50 | 100 | | | |
| <i>Stenotrophomonas maltophilia</i> [†] | 2 | 5 | | | | | | | | | | | | | | | | | | 100 | 100 | | | | | | | |
| ALL GRAM-POSITIVE BACTERIA | 27 | 100 | 6 | 6 | 6 | | 46 | 39 | 39 | 33 | 39 | 46 | | | 59 | 34 | | | | 68 | | | | | | | 78 | |
| <i>Staphylococcus aureus</i> , all isolates | 14 | 52 | | | | | 57 | 57 | 57 | 57 | 57 | | | | 79 | 58 | 86 | | | 93 | | | | | | 100 | 100 | |
| - methicillin-susceptible | 8 | 30 | | | | | 100 | 100 | 100 | 100 | 100 | | | | 88 | 88 | 88 | | | 100 | | | | | | 100 | 100 | |
| - methicillin-resistant (MRSA) | 6 | 22 | | | | | 0 | 0 | 0 | 0 | 0 | | | | 67 | 17 | 83 | | | 83 | | | | | | 100 | 100 | |
| <i>Mycobacterium tuberculosis complex</i> | 6 | 22 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Streptococcus pneumoniae</i> | 5 | 19 | | | | 33 | 67 | | | | | | | 67 | 67 | 60 | 20 | | | 100 | | | | | | 100 | | |
| Coagulase-negative staphylococci | 2 | 7 | | | | | 50 | 50 | 50 | 50 | 50 | | | | 100 | 0 | 100 | | | 100 | | | | | | 100 | 100 | |

General Notes:

- Statistical validity of estimates of percent susceptibility for organisms for which there are fewer than 30 isolates reported is limited. Please take this into consideration when interpreting the reported results.
- Some organisms for which there were only very small numbers have been excluded from this report; however the total number of "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" listed includes these organisms.
- Reported susceptibilities for "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" reflect estimates only based on the weighted average of susceptibilities for all organisms included on this report as well as those that have been excluded, with assumptions made for those drugs for which susceptibilities were not tested.
- Susceptibility to doxycycline was predicted based on tetracycline susceptibility testing results.

Organism-Specific Notes:

- [^] *M. catarrhalis*: Susceptibility testing is not routinely performed. Most isolates are resistant to ampicillin and amoxicillin but are generally susceptible to other antibiotics commonly used for respiratory infections.
- ^{^^} *H. influenzae* and *H. parainfluenzae*: Susceptibility to ampicillin was determined using beta-lactamase testing. Beta-lactamase-positive isolates are resistant to ampicillin but are generally susceptible to amoxicillin-clavulanic acid and cefuroxime.
- [†] *S. maltophilia*: Susceptibility to moxifloxacin was predicted based on levofloxacin susceptibility testing results.

Toronto Western Hospital ANTIBIOGRAM
Wards other than ICUs/Emergency
January 1, 2018 - December 31, 2018

Skin, Wound and Abscess Isolates – % Susceptible

| | | <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>≥80% Susceptible ■</p> <p>70-79% Susceptible ■</p> <p>≤69% Susceptible ■</p> </div> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="border: 1px solid black; padding: 2px;">Ampicillin</div> <div style="border: 1px solid black; padding: 2px;">Amoxicillin-Clavulanic acid</div> <div style="border: 1px solid black; padding: 2px;">Penicillin</div> <div style="border: 1px solid black; padding: 2px;">Piperacillin-Tazobactam</div> <div style="border: 1px solid black; padding: 2px;">Meropenem</div> <div style="border: 1px solid black; padding: 2px;">Ertapenem</div> <div style="border: 1px solid black; padding: 2px;">Cloxacillin</div> <div style="border: 1px solid black; padding: 2px;">Cefazolin</div> <div style="border: 1px solid black; padding: 2px;">Ceftriaxone</div> <div style="border: 1px solid black; padding: 2px;">Ceftazidime</div> <div style="border: 1px solid black; padding: 2px;">Clindamycin</div> <div style="border: 1px solid black; padding: 2px;">Erythromycin</div> <div style="border: 1px solid black; padding: 2px;">Doxycycline</div> <div style="border: 1px solid black; padding: 2px;">Ciprofloxacin</div> <div style="border: 1px solid black; padding: 2px;">Moxifloxacin</div> <div style="border: 1px solid black; padding: 2px;">Trimethoprim-Sulfamethoxazole</div> <div style="border: 1px solid black; padding: 2px;">Gentamicin</div> <div style="border: 1px solid black; padding: 2px;">Tobramycin</div> <div style="border: 1px solid black; padding: 2px;">Amikacin</div> <div style="border: 1px solid black; padding: 2px;">Vancomycin</div> <div style="border: 1px solid black; padding: 2px;">Linezolid</div> </div> </div> | | | | | | | | | | | | | | | | | | | |
|---|-----|---|-----|-----|-----|-----|-----|-----|-----|-----|----|--|--|-----|-----|-----|-----|-----|--|-----|-----|
| | # | % | | | | | | | | | | | | | | | | | | | |
| ALL BACTERIA | 231 | — | 11 | 20 | 70 | 78 | 64 | 43 | 57 | | | | | | | 76 | | | | | |
| ALL GRAM-NEGATIVE BACTERIA | 93 | 100 | 14 | 37 | 66 | 97 | 61 | 10 | 43 | 68 | | | | 77 | 63 | 91 | 91 | 100 | | | |
| <i>Pseudomonas aeruginosa</i> | 30 | 32 | | | 67 | 90 | | | | 80 | | | | 83 | | 93 | 93 | 100 | | | |
| <i>Escherichia coli</i> | 25 | 27 | 20 | 64 | 80 | 100 | 96 | 17 | 80 | 80 | | | | 56 | 88 | 84 | 84 | 100 | | | |
| <i>Klebsiella pneumoniae</i> | 10 | 11 | 0 | 80 | 80 | 100 | 100 | 50 | 80 | 80 | | | | 80 | 100 | 80 | 80 | 100 | | | |
| <i>Enterobacter cloacae</i> | 8 | 9 | 0 | 0 | 0 | 100 | 100 | 0 | 0 | 0 | | | | 100 | 88 | 100 | 100 | 100 | | | |
| <i>Proteus mirabilis</i> | 7 | 8 | 100 | 100 | 100 | 100 | 100 | | 100 | 100 | | | | 100 | 100 | 100 | 100 | 100 | | | |
| <i>Serratia marcescens</i> | 5 | 5 | 0 | 0 | 0 | 100 | 100 | 0 | 0 | 0 | | | | 100 | 100 | 100 | 100 | 100 | | | |
| ALL GRAM-POSITIVE BACTERIA | 138 | 100 | 9 | 9 | 3 | 72 | 66 | 66 | 63 | 66 | 67 | | | 69 | 53 | | | 86 | | 99 | |
| <i>Staphylococcus aureus</i> , all isolates | 90 | 65 | | | | 81 | 81 | 81 | 81 | 81 | | | | 78 | 62 | 96 | | 98 | | 100 | 100 |
| - methicillin-susceptible | 73 | 53 | | | | 100 | 100 | 100 | 100 | 100 | | | | 74 | 67 | 97 | | 97 | | 100 | 100 |
| - methicillin-resistant (MRSA) | 17 | 12 | | | | 0 | 0 | 0 | 0 | 0 | | | | 94 | 41 | 94 | | 100 | | 100 | 100 |
| Coagulase-negative staphylococci | 29 | 21 | | | | 48 | 48 | 48 | 48 | 48 | | | | 76 | 45 | 97 | | 90 | | 100 | 100 |
| <i>Enterococcus faecalis</i> , all isolates | 8 | 6 | 100 | 100 | | 100 | | | | | | | | | | | | | | 100 | |
| - vancomycin-susceptible | 8 | 6 | 100 | 100 | | 100 | | | | | | | | | | | | | | 100 | |
| - vancomycin-resistant (VRE) | 0 | 0 | | | | | | | | | | | | | | | | | | | |
| <i>Enterococcus faecium</i> , all isolates | 6 | 4 | 17 | 17 | | 17 | | | | | | | | | | | | | | 83 | |
| - vancomycin-susceptible | 5 | 4 | 20 | 20 | | 20 | | | | | | | | | | | | | | 100 | |
| - vancomycin-resistant (VRE) | 1 | 1 | 0 | 0 | | 0 | | | | | | | | | | | | | | 0 | 100 |
| - vancomycin-susceptible (vanA+) | 0 | 0 | | | | | | | | | | | | | | | | | | | |
| Group A streptococci** | 4 | 3 | | | 100 | | | | | | | | | 75 | 75 | | | | | 100 | |

General Notes:

- Statistical validity of estimates of percent susceptibility for organisms for which there are fewer than 30 isolates reported is limited. Please take this into consideration when interpreting the reported results.
- Some organisms for which there were only very small numbers have been excluded from this report; however the total number of "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" listed includes these organisms.
- Reported susceptibilities for "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" reflect estimates only based on the weighted average of susceptibilities for all organisms included on this report as well as those that have been excluded, with assumptions made for those drugs for which susceptibilities were not tested.
- Susceptibility to doxycycline was predicted based on tetracycline susceptibility testing results.

Organism-Specific Notes:

** Beta-hemolytic streptococci: Susceptibility testing to penicillin is not routinely performed since resistant strains have not been recognized. All isolates are considered susceptible to penicillin.

Toronto Western Hospital ANTIBIOGRAM

Wards other than ICUs/Emergency

January 1, 2018 - December 31, 2018

Urine Isolates – % Susceptible

| | | <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>≥80% Susceptible ■</p> <p>70-79% Susceptible ■</p> <p>≤69% Susceptible ■</p> </div> <div style="border: 1px solid black; padding: 5px;"> <table style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <th style="width: 15%;"></th> <th style="width: 15%;">Ampicillin</th> <th style="width: 15%;">Amoxicillin-Clavulanic acid</th> <th style="width: 15%;">Penicillin</th> <th style="width: 15%;">Piperacillin-Tazobactam</th> <th style="width: 15%;">Meropenem</th> <th style="width: 15%;">Ertapenem</th> <th style="width: 15%;">Cloxacillin</th> <th style="width: 15%;">Cefazolin</th> <th style="width: 15%;">Cephalexin</th> <th style="width: 15%;">Ceftriaxone</th> <th style="width: 15%;">Ceftazidime</th> <th style="width: 15%;">Doxycycline</th> <th style="width: 15%;">Ciprofloxacin</th> <th style="width: 15%;">Trimethoprim-Sulfamethoxazole</th> <th style="width: 15%;">Nitrofurantoin</th> <th style="width: 15%;">Gentamicin</th> <th style="width: 15%;">Tobramycin</th> <th style="width: 15%;">Amikacin</th> <th style="width: 15%;">Vancomycin</th> <th style="width: 15%;">Linezolid</th> </tr> </table> </div> </div> | | | | | | | | | | | | | | | | | Ampicillin | Amoxicillin-Clavulanic acid | Penicillin | Piperacillin-Tazobactam | Meropenem | Ertapenem | Cloxacillin | Cefazolin | Cephalexin | Ceftriaxone | Ceftazidime | Doxycycline | Ciprofloxacin | Trimethoprim-Sulfamethoxazole | Nitrofurantoin | Gentamicin | Tobramycin | Amikacin | Vancomycin | Linezolid |
|---|------------|---|------------|-------------------------|-----------|-----------|-------------|-----------|------------|-------------|-------------|-------------|---------------|-------------------------------|----------------|------------|------------|----------|------------|-----------------------------|------------|-------------------------|-----------|-----------|-------------|-----------|------------|-------------|-------------|-------------|---------------|-------------------------------|----------------|------------|------------|----------|------------|-----------|
| | Ampicillin | Amoxicillin-Clavulanic acid | Penicillin | Piperacillin-Tazobactam | Meropenem | Ertapenem | Cloxacillin | Cefazolin | Cephalexin | Ceftriaxone | Ceftazidime | Doxycycline | Ciprofloxacin | Trimethoprim-Sulfamethoxazole | Nitrofurantoin | Gentamicin | Tobramycin | Amikacin | Vancomycin | Linezolid | | | | | | | | | | | | | | | | | | |
| | # | % | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALL BACTERIA | 541 | — | 36 | 66 | 78 | 80 | 73 | | 2 | 55 | 58 | | 9 | 76 | 58 | 73 | | | | | | | | | | | | | | | | | | | | | | |
| ALL GRAM-NEGATIVE BACTERIA | 425 | 100 | 25 | 62 | 76 | 99 | 90 | | | 67 | 71 | 79 | | 79 | 72 | 69 | 93 | 92 | 100 | | | | | | | | | | | | | | | | | | | |
| <i>Escherichia coli</i> | 250 | 59 | 35 | 70 | 79 | 100 | 100 | | 0 | 79 | 84 | 84 | | 71 | 74 | 97 | 92 | 89 | 100 | | | | | | | | | | | | | | | | | | | |
| <i>Klebsiella pneumoniae</i> | 62 | 15 | 0 | 89 | 85 | 100 | 100 | | 0 | 85 | 89 | 89 | 0 | 92 | 89 | 42 | 94 | 92 | 100 | | | | | | | | | | | | | | | | | | | |
| <i>Pseudomonas aeruginosa</i> | 38 | 9 | | | 92 | 92 | | | | | | 92 | | 89 | | | 95 | 95 | 97 | | | | | | | | | | | | | | | | | | | |
| <i>Proteus mirabilis</i> | 27 | 6 | 70 | 89 | 96 | 100 | 100 | | 0 | 96 | 96 | 96 | | 81 | 74 | 0 | 93 | 100 | 100 | | | | | | | | | | | | | | | | | | | |
| <i>Enterobacter cloacae</i> | 20 | 5 | 0 | 0 | 0 | 100 | 80 | | 0 | 0 | 0 | 0 | | 100 | 85 | 45 | 100 | 100 | 100 | | | | | | | | | | | | | | | | | | | |
| <i>Klebsiella oxytoca</i> | 12 | 3 | 0 | 92 | 92 | 100 | 100 | | 0 | 67 | 92 | 92 | | 100 | 100 | 83 | 100 | 100 | 100 | | | | | | | | | | | | | | | | | | | |
| <i>Morganella morganii</i> | 7 | 2 | 0 | 0 | 0 | 100 | 100 | | 0 | 0 | 0 | 0 | | 100 | 100 | 0 | 100 | 100 | 100 | | | | | | | | | | | | | | | | | | | |
| <i>Citrobacter koseri</i> | 5 | 1 | 0 | 0 | 0 | 100 | 100 | | 0 | 0 | 0 | 0 | | 100 | 100 | 80 | 100 | 100 | 100 | | | | | | | | | | | | | | | | | | | |
| ALL GRAM-POSITIVE BACTERIA | 116 | 100 | 78 | 78 | 1 | 87 | 9 | 9 | 9 | 9 | 9 | 9 | | 42 | 64 | 9 | 90 | | | | 97 | | | | | | | | | | | | | | | | | |
| <i>Enterococcus faecalis</i> , all isolates | 87 | 75 | 100 | 100 | 100 | | | | | | | | | 36 | 80 | | 100 | | | | 100 | | | | | | | | | | | | | | | | | |
| - vancomycin-susceptible | 87 | 75 | 100 | 100 | 100 | | | | | | | | | 36 | 80 | | 100 | | | | 100 | | | | | | | | | | | | | | | | | |
| - vancomycin-resistant (VRE) | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Enterococcus faecium</i> , all isolates | 16 | 14 | 6 | 6 | 6 | | | | | | | | | 44 | 12 | | 25 | | | | 88 | 100 | | | | | | | | | | | | | | | | |
| - vancomycin-susceptible | 14 | 12 | 7 | 7 | 7 | | | | | | | | | 36 | 14 | | 29 | | | | 100 | 100 | | | | | | | | | | | | | | | | |
| - vancomycin-resistant (VRE) | 2 | 2 | 0 | 0 | 0 | | | | | | | | | 100 | 0 | | 0 | | | | 0 | 100 | | | | | | | | | | | | | | | | |
| - vancomycin-susceptible (vanA+) | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Staphylococcus aureus</i> , all isolates | 10 | 9 | | | 100 | 100 | 100 | 100 | 100 | 100 | | | | 80 | | 100 | 100 | | | | 100 | 100 | | | | | | | | | | | | | | | | |
| - methicillin-susceptible | 10 | 9 | | | 100 | 100 | 100 | 100 | 100 | 100 | | | | 80 | | 100 | 100 | | | | 100 | 100 | | | | | | | | | | | | | | | | |
| - methicillin-resistant (MRSA) | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Group B streptococci** | 1 | 1 | | | 100 | | | | | | | | | | | | | | | | | 100 | | | | | | | | | | | | | | | | |
| <i>Enterococcus gallinarum</i> | 1 | 1 | 100 | 100 | 100 | | | | | | | | | 100 | 100 | | 100 | | | | | 0 | | | | | | | | | | | | | | | | |
| <i>Enterococcus casseliflavus</i> | 1 | 1 | 100 | 100 | 100 | | | | | | | | | 100 | 100 | | 100 | | | | | 100 | | | | | | | | | | | | | | | | |

General Notes:

- Statistical validity of estimates of percent susceptibility for organisms for which there are fewer than 30 isolates reported is limited. Please take this into consideration when interpreting the reported results.
- Some organisms for which there were only very small numbers have been excluded from this report; however the total number of "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" listed includes these organisms.
- Reported susceptibilities for "ALL BACTERIA", "ALL GRAM-NEGATIVE BACTERIA", and "ALL GRAM-POSITIVE BACTERIA" reflect estimates only based on the weighted average of susceptibilities for all organisms included on this report as well as those that have been excluded, with assumptions made for those drugs for which susceptibilities were not tested.
- Susceptibility to doxycycline was predicted based on tetracycline susceptibility testing results.

Organism-Specific Notes:

** Beta-hemolytic streptococci: Susceptibility testing to penicillin is not routinely performed since resistant strains have not been recognized. All isolates are considered susceptible to penicillin.